

HSS DRILL BIT DIN345

HSS / HSSCo



DRILL BIT

- ☆ Mostly commonly used drill bit
- ☆ Point Angle: 118° / 130°
- ☆ Flute Types: Type N / Type W / Type UF
- ☆ Right Hand / Left Hand
- ☆ Surface: Bright / Oxide / Bronze / TiN / TiCN

Order No.	Ø D (mm)	L (mm)	I (mm)	MT	Order No.	Ø D (mm)	L (mm)	I (mm)	MT
345004800	4.8	133	52	MT1	345008100	8.1	156	75	MT1
345005000	5	133	52	MT1	345008200	8.2	156	75	MT1
345005100	5.1	133	52	MT1	345008250	8.25	156	75	MT1
345005200	5.2	133	52	MT1	345008300	8.3	156	75	MT1
345005250	5.25	133	52	MT1	345008400	8.4	156	75	MT1
345005300	5.3	133	52	MT1	345008500	8.5	156	75	MT1
345005400	5.4	138	57	MT1	345008600	8.6	162	81	MT1
345005500	5.5	138	57	MT1	345008700	8.7	162	81	MT1
345005600	5.6	138	57	MT1	345008750	8.75	162	81	MT1
345005700	5.7	138	57	MT1	345008800	8.8	162	81	MT1
345005750	5.75	138	57	MT1	345008900	8.9	162	81	MT1
345005800	5.8	138	57	MT1	345009000	9	162	81	MT1
345005900	5.9	138	57	MT1	345009100	9.1	162	81	MT1
345006000	6	138	57	MT1	345009200	9.2	162	81	MT1
345006100	6.1	144	63	MT1	345009250	9.25	162	81	MT1
345006200	6.2	144	63	MT1	345009300	9.3	162	81	MT1
345006250	6.25	144	63	MT1	345009400	9.4	162	81	MT1
345006300	6.3	144	63	MT1	345009500	9.5	162	81	MT1
345006400	6.4	144	63	MT1	345009600	9.6	168	87	MT1
345006500	6.5	144	63	MT1	345009700	9.7	168	87	MT1
345006600	6.6	144	63	MT1	345009750	9.75	168	87	MT1
345006700	6.7	144	63	MT1	345009800	9.8	168	87	MT1
345006750	6.75	150	69	MT1	345009900	9.9	168	87	MT1
345006800	6.8	150	69	MT1	345010000	10	168	87	MT1
345006900	6.9	150	69	MT1	345010100	10.1	168	87	MT1
345007000	7	150	69	MT1	345010200	10.2	168	87	MT1
345007100	7.1	150	69	MT1	345010250	10.25	168	87	MT1
345007200	7.2	150	69	MT1	345010300	10.3	168	87	MT1
345007250	7.25	150	69	MT1	345010400	10.4	168	87	MT1
345007300	7.3	150	69	MT1	345010500	10.5	168	87	MT1
345007400	7.4	150	69	MT1	345010600	10.6	168	87	MT1
345007500	7.5	150	69	MT1	345010700	10.7	175	94	MT1
345007600	7.6	156	75	MT1	345010750	10.75	175	94	MT1
345007700	7.7	156	75	MT1	345010800	10.8	175	94	MT1
345007750	7.75	156	75	MT1	345010900	10.9	175	94	MT1
345007800	7.8	156	75	MT1	345011000	11	175	94	MT1
345007900	7.9	156	75	MT1	345011100	11.1	175	94	MT1
345008000	8	156	75	MT1	345011200	11.2	175	94	MT1

Order No.	Ø D (mm)	L (mm)	l (mm)	MT	Order No.	Ø D (mm)	L (mm)	l (mm)	MT
345011250	11.25	175	94	MT1	345013300	13.3	189	108	MT1
345011300	11.3	175	94	MT1	345013400	13.4	189	108	MT1
345011400	11.4	175	94	MT1	345013500	13.5	189	108	MT1
345011500	11.5	175	94	MT1	345013600	13.6	189	108	MT1
345011600	11.6	175	94	MT1	345013700	13.7	189	108	MT1
345011700	11.7	175	94	MT1	345013750	13.75	189	108	MT1
345011750	11.75	175	94	MT1	345013800	13.8	189	108	MT1
345011800	11.8	175	94	MT1	345013900	13.9	189	108	MT1
345011900	11.9	182	101	MT1	345014000	14	189	108	MT1
345012000	12	182	101	MT1	345015000	15	212	114	MT2
345012100	12.1	182	101	MT1	345016000	16	218	120	MT2
345012200	12.2	182	101	MT1	345017000	17	223	125	MT2
345012250	12.25	182	101	MT1	345018000	18	228	130	MT2
345012300	12.3	182	101	MT1	345019000	19	233	135	MT2
345012400	12.4	182	101	MT1	345020000	20	238	140	MT2
345012500	12.5	182	101	MT1	345021200	21.2	243	145	MT2
345012600	12.6	182	101	MT1	345022000	22	248	150	MT2
345012700	12.7	182	101	MT1	345022400	22.4	248	150	MT2
345012750	12.75	182	101	MT1	345023020	23.02	253	155	MT2
345012800	12.8	182	101	MT1	345023600	23.6	276	155	MT3
345012900	12.9	182	101	MT1	345025000	25	281	160	MT3
345013000	13	182	101	MT1	345026500	26.5	286	165	MT3
345013100	13.1	182	101	MT1	345028000	28	291	170	MT3
345013200	13.2	182	101	MT1	345030000	30	296	175	MT3
345013250	13.25	189	108	MT1					

DRILL BIT

HSS DRILL BIT DIN341

HSS / HSSCo



DRILL BIT

- ☆ Mostly commonly used drill bit
- ☆ Point Angle: 118° / 130°
- ☆ Flute Types: Type N / Type W / Type UF
- ☆ Right Hand / Left Hand
- ☆ Surface: Bright / Oxide / Bronze / TiN / TiCN

Order No.	Ø D (mm)	L (mm)	l (mm)	MT	Order No.	Ø D (mm)	L (mm)	l (mm)	MT
341004800	4.8	155	74	MT1	341008100	8.1	181	100	MT1
341005000	5	155	74	MT1	341008200	8.2	181	100	MT1
341005100	5.1	155	74	MT1	341008250	8.25	181	100	MT1
341005200	5.2	155	74	MT1	341008300	8.3	181	100	MT1
341005250	5.25	155	74	MT1	341008400	8.4	181	100	MT1
341005300	5.3	155	74	MT1	341008500	8.5	181	100	MT1
341005400	5.4	161	80	MT1	341008600	8.6	188	107	MT1
341005500	5.5	161	80	MT1	341008700	8.7	188	107	MT1
341005600	5.6	161	80	MT1	341008750	8.75	188	107	MT1
341005700	5.7	161	80	MT1	341008800	8.8	188	107	MT1
341005750	5.75	161	80	MT1	341008900	8.9	188	107	MT1
341005800	5.8	161	80	MT1	341009000	9	188	107	MT1
341005900	5.9	161	80	MT1	341009100	9.1	188	107	MT1
341006000	6	161	80	MT1	341009200	9.2	188	107	MT1
341006100	6.1	167	86	MT1	341009250	9.25	188	107	MT1
341006200	6.2	167	86	MT1	341009300	9.3	188	107	MT1
341006250	6.25	167	86	MT1	341009400	9.4	188	107	MT1
341006300	6.3	167	86	MT1	341009500	9.5	188	107	MT1
341006400	6.4	167	86	MT1	341009600	9.6	197	116	MT1
341006500	6.5	167	86	MT1	341009700	9.7	197	116	MT1
341006600	6.6	167	86	MT1	341009750	9.75	197	116	MT1
341006700	6.7	167	86	MT1	341009800	9.8	197	116	MT1
341006750	6.75	174	93	MT1	341009900	9.9	197	116	MT1
341006800	6.8	174	93	MT1	341010000	10	197	116	MT1
341006900	6.9	174	93	MT1	341010100	10.1	197	116	MT1
341007000	7	174	93	MT1	341010200	10.2	197	116	MT1
341007100	7.1	174	93	MT1	341010250	10.25	197	116	MT1
341007200	7.2	174	93	MT1	341010300	10.3	197	116	MT1
341007250	7.25	174	93	MT1	341010400	10.4	197	116	MT1
341007300	7.3	174	93	MT1	341010500	10.5	197	116	MT1
341007400	7.4	174	93	MT1	341010600	10.6	197	116	MT1
341007500	7.5	174	93	MT1	341010700	10.7	206	125	MT1
341007600	7.6	181	100	MT1	341010750	10.75	206	125	MT1
341007700	7.7	181	100	MT1	341010800	10.8	206	125	MT1
341007750	7.75	181	100	MT1	341010900	10.9	206	125	MT1
341007800	7.8	181	100	MT1	341011000	11	206	125	MT1
341007900	7.9	181	100	MT1	341011100	11.1	206	125	MT1
341008000	8	181	100	MT1	341011200	11.2	206	125	MT1

Order No.	Ø D (mm)	L (mm)	I (mm)	MT	Order No.	Ø D (mm)	L (mm)	I (mm)	MT
341011250	11.25	206	125	MT1	341013300	13.3	223	142	MT1
341011300	11.3	206	125	MT1	341013400	13.4	223	142	MT1
341011400	11.4	206	125	MT1	341013500	13.5	223	142	MT1
341011500	11.5	206	125	MT1	341013600	13.6	223	142	MT1
341011600	11.6	206	125	MT1	341013700	13.7	223	142	MT1
341011700	11.7	206	125	MT1	341013750	13.75	223	142	MT1
341011750	11.75	206	125	MT1	341013800	13.8	223	142	MT1
341011800	11.8	206	125	MT1	341013900	13.9	223	142	MT1
341011900	11.9	215	134	MT1	341014000	14	223	142	MT1
341012000	12	215	134	MT1	341015000	15	245	147	MT2
341012100	12.1	215	134	MT1	341016000	16	251	153	MT2
341012200	12.2	215	134	MT1	341017000	17	257	159	MT2
341012250	12.25	215	134	MT1	341018000	18	263	165	MT2
341012300	12.3	215	134	MT1	341019000	19	269	171	MT2
341012400	12.4	215	134	MT1	341020000	20	275	177	MT2
341012500	12.5	215	134	MT1	341021200	21.2	282	184	MT2
341012600	12.6	215	134	MT1	341022000	22	289	191	MT2
341012700	12.7	215	134	MT1	341022400	22.4	289	191	MT2
341012750	12.75	215	134	MT1	341023020	23.02	296	198	MT2
341012800	12.8	215	134	MT1	341023600	23.6	319	198	MT3
341012900	12.9	215	134	MT1	341025000	25	327	206	MT3
341013000	13	215	134	MT1	341026500	26.5	335	214	MT3
341013100	13.1	215	134	MT1	341028000	28	343	222	MT3
341013200	13.2	215	134	MT1	341030000	30	351	230	MT3
341013250	13.25	223	142	MT1					

DRILL BIT

HSS DRILL BIT DIN1870

HSS / HSSCo



DRILL BIT

- ☆ Mostly commonly used drill bit
- ☆ Point Angle: 118° / 130°
- ☆ Flute Types: Type N / Type W / Type UF
- ☆ Right Hand / Left Hand
- ☆ Surface: Bright / Oxide / Bronze / TiN / TiCN

Order No.	Ø D	L (mm)	I (mm)	Serie	MT	Order No.	Ø D	L (mm)	I (mm)	Serie	MT
187008001	8	181	100	1	MT1	187015001	15	245	147	1	MT2
187008002	8	256	165	2	MT1	187015002	15	340	220	2	MT2
187008501	8.5	181	100	1	MT1	187015003	15	425	275	3	MT2
187008502	8.5	256	165	2	MT1	187015501	15.5	251	153	1	MT2
187009001	9	188	107	1	MT1	187015502	15.5	355	230	2	MT2
187009002	9	275	175	2	MT1	187015503	15.5	445	295	3	MT2
187009501	9.5	188	107	1	MT1	187016001	16	251	153	1	MT2
187009502	9.5	275	175	2	MT1	187016002	16	355	230	2	MT2
187010001	10	197	116	1	MT1	187016003	16	445	295	3	MT2
187010002	10	285	185	2	MT1	187016501	16.5	257	159	1	MT2
187010003	10	360	235	3	MT1	187016502	16.5	355	230	2	MT2
187010501	10.5	197	160	1	MT1	187016503	16.5	445	295	3	MT2
187010502	10.5	285	185	2	MT1	187017001	17	257	159	1	MT2
187010503	10.5	360	235	3	MT1	187017002	17	355	230	2	MT2
187011001	11	206	125	1	MT1	187017003	17	445	295	3	MT2
187011002	11	300	195	2	MT1	187017501	17.5	263	165	1	MT2
187011003	11	375	250	3	MT1	187017502	17.5	370	245	2	MT2
187011501	11.5	206	125	1	MT1	187017503	17.5	465	310	3	MT2
187011502	11.5	300	195	2	MT1	187018001	18	263	165	1	MT2
187011503	11.5	375	250	3	MT1	187018002	18	370	245	2	MT2
187012001	12	215	134	1	MT1	187018003	18	465	310	3	MT2
187012002	12	310	205	2	MT1	187018501	18.5	269	171	1	MT2
187012003	12	395	260	3	MT1	187018502	18.5	370	245	2	MT2
187012501	12.5	215	134	1	MT1	187018503	18.5	465	310	3	MT2
187012502	12.5	310	205	2	MT1	187019001	19	269	171	1	MT2
187012503	12.5	395	260	3	MT1	187019002	19	370	245	2	MT2
187013001	13	215	134	1	MT1	187019003	19	465	310	3	MT2
187013002	13	310	205	2	MT1	187019501	19.5	275	177	1	MT2
187013003	13	395	260	3	MT1	187019502	19.5	385	260	2	MT2
187013501	13.5	223	142	1	MT1	187019503	19.5	490	325	3	MT2
187013502	13.5	325	220	2	MT1	187020001	20	275	177	1	MT2
187013503	13.5	410	275	3	MT1	187020002	20	385	260	2	MT2
187014001	14	223	142	1	MT1	187020003	20	490	325	3	MT2
187014002	14	325	220	2	MT1	187020501	20.5	282	184	1	MT2
187014003	14	410	275	3	MT1	187020502	20.5	385	260	2	MT2
187014501	14.5	245	147	1	MT2	187020503	20.5	490	325	3	MT2
187014502	14.5	340	220	2	MT2	187021001	21	282	184	1	MT2
187014503	14.5	425	275	3	MT2	187021002	21	385	260	2	MT2

Order No.	Ø D	L (mm)	I (mm)	Serie	MT	Order No.	Ø D	L (mm)	I (mm)	Serie	MT
187021003	21	490	325	3	MT2	187029502	29.5	460	305	2	MT3
187021501	21.5	289	191	1	MT2	187029503	29.5	580	385	3	MT3
187021502	21.5	405	270	2	MT2	187030001	30	351	230	1	MT3
187021503	21.5	515	345	3	MT2	187030002	30	460	305	2	MT3
187022001	22	289	191	1	MT2	187030003	30	580	385	3	MT3
187022002	22	405	270	2	MT2	187031001	31	360	239	1	MT3
187022003	22	515	345	3	MT2	187031002	31	480	320	2	MT3
187022501	22.5	296	198	1	MT2	187031003	31	610	410	3	MT3
187022502	22.5	405	270	2	MT2	187032001	32	397	248	1	MT4
187022503	22.5	515	345	3	MT2	187032002	32	505	320	2	MT4
187023001	23	296	198	1	MT2	187032003	32	635	410	3	MT4
187023002	23	405	270	2	MT2	187033001	33	397	248	1	MT4
187023003	23	515	345	3	MT2	187033002	33	505	320	2	MT4
187023501	23.5	319	198	1	MT3	187033003	33	635	410	3	MT4
187023502	23.5	425	270	2	MT3	187034001	34	406	257	1	MT4
187023503	23.5	535	345	3	MT3	187034002	34	530	340	2	MT4
187024001	24	327	206	1	MT3	187034003	34	665	430	3	MT4
187024002	24	440	290	2	MT3	187035001	35	406	257	1	MT4
187024003	24	555	365	3	MT3	187035002	35	530	340	2	MT4
187024501	24.5	327	206	1	MT3	187035003	35	665	430	3	MT4
187024502	24.5	440	290	2	MT3	187036001	36	416	267	1	MT4
187024503	24.5	555	365	3	MT3	187036002	36	530	340	2	MT4
187025001	25	327	206	1	MT3	187036003	36	665	430	3	MT4
187025002	25	440	290	2	MT3	187037001	37	416	267	1	MT4
187025003	25	555	365	3	MT3	187037002	37	530	340	2	MT4
187025501	25.5	335	214	1	MT3	187037003	37	665	430	3	MT4
187025502	25.5	440	290	2	MT3	187038001	38	426	277	1	MT4
187025503	25.5	555	365	3	MT3	187038002	38	555	360	2	MT4
187026001	26	335	214	1	MT3	187038003	38	695	460	3	MT4
187026002	26	440	290	2	MT3	187039001	39	426	277	1	MT4
187026003	26	555	365	3	MT3	187039002	39	555	360	2	MT4
187026501	26.5	335	214	1	MT3	187039003	39	695	460	3	MT4
187026502	26.5	440	290	2	MT3	187040001	40	426	277	1	MT4
187026503	26.5	555	365	3	MT3	187040002	40	555	360	2	MT4
187027001	27	343	222	1	MT3	187040003	40	695	460	3	MT4
187027002	27	460	305	2	MT3	187041001	41	436	287	1	MT4
187027003	27	580	385	3	MT3	187041002	41	555	360	2	MT4
187027501	27.5	343	222	1	MT3	187041003	41	695	460	3	MT4
187027502	27.5	460	305	2	MT3	187042001	42	436	287	1	MT4
187027503	27.5	580	385	3	MT3	187042002	42	555	360	2	MT4
187028001	28	343	222	1	MT3	187042003	42	695	460	3	MT4
187028002	28	460	305	2	MT3	187043001	43	447	298	1	MT4
187028003	28	580	385	3	MT3	187043002	43	585	385	2	MT4
187028501	28.5	351	230	1	MT3	187043003	43	735	490	3	MT4
187028502	28.5	460	305	2	MT3	187044001	44	447	298	1	MT4
187029001	29	351	230	1	MT3	187044003	44	735	490	3	MT4
187029002	29	460	305	2	MT3	187045001	45	447	298	1	MT4
187029003	29	580	385	3	MT3	187045002	45	585	385	2	MT4
187029501	29.5	351	230	1	MT3	187045003	45	735	490	3	MT4

DRILL BIT

Order No.	Ø D	L (mm)	I (mm)	Serie	MT	Order No.	Ø D	L (mm)	I (mm)	Serie	MT	DRILL BIT
187046001	46	459	310	1	MT4	187048003	48	765	510	3	MT4	
187046002	46	585	385	2	MT4	187049001	49	470	321	1	MT4	
187046003	46	735	490	3	MT4	187049002	49	605	405	2	MT4	
187047001	47	459	310	1	MT4	187049003	49	765	510	3	MT4	
187047002	47	585	385	2	MT4	187050001	50	470	321	1	MT4	
187047003	47	735	490	3	MT4	187050002	50	605	405	2	MT4	
187048001	48	470	321	1	MT4	187050003	50	765	510	3	MT4	
187048002	48	605	405	2	MT4							